


# KLT-12E/KLT-15D

## Optical fiber loss test kit (FLT)



Easy to  
carry



Anti-  
collision



Quality  
assurance



High  
capacity






## Product description



Plastic handle, Ergonomic design arc, keep your hands comfortable.



The internal anti-collision design uses high-density sponge to isolate and protect tools.



Large internal capacity, complete product configuration.



External use EVA material, waterproof and wear-resistant.



## Product Features

- Ergonomics, snap-button design, not to squeeze your hands, comfortable and labor-saving.
- The built-in thickened pe5 can effectively fix the product and prevent collision and damage between instruments.
- High-density sponge lining protection, 5 meters drop resistance.
- Fiber end face cleaning and inspection, light source loss test.
- Waterproof, wear-resistant, thickened, shockproof, can be cross-carried and portable.
- Suitable for optical fiber construction, inspection and cleaning.

## Product Size



## Product configuration

Product name	KLT-12E	KLT-15D
Optical power meter	1	1
Optical light source	1	1
Visual fault locator	1	1
Cleaning platform	1	1
Big alcohol bottle	1	1
Small alcohol bottle	1	1
Jumper Cable 1m	3	3
Coupler (plastic)	3	3
Shoulder strap	1	1
Lined with EVA	1	1
High-end carrying bag	1	1
Product folding	3	3
Microscope	/	1
One click cleaner	/	2
Cassette cleaner	/	1



# Products Display



**KLT-12E**



**KLT-15D**

## HEAD OFFICE

KomShine Technologies Limited

## CONTACT US

Add: 2F Bldg. D Qinheng Tech. Pk. Nanjing, JS, 210001, China

TEL: +86 ( 025 ) 66047688

Web: [www.KomShine.com](http://www.KomShine.com)

Mail: [info@komshine.com](mailto:info@komshine.com)

\* Komshine reserves the right to improve, enhance, or modify the features and specifications of KomShine products without prior notification.

\* Company and product names appearing in this catalogue are registered marks or trademarks of respective companies.

\* This catalogue is printed using environmentally friendly paper and ink.