

Catalogue

2019–2020

EN



Website



Youtube



QX70 All-in-1 All Fiber OTDR

- ◆ Large Screen 7 inch GUI
- ◆ Dead Zone <0.5m
- ◆ High Dynamic Range Up to 42dB
- ◆ Built-in OPM & VLS
- ◆ ALL-in-1 850~1625nm



QX50 All-fiber OTDR

- ◆ Large Screen 5.7 inch GUI
- ◆ Dead Zone <1.5m
- ◆ High Dynamic Range Up to 32dB
- ◆ Built-in VLS
- ◆ ALL-in-1 850~1625nm



QX35/45 Mini OTDR Tester

- ◆ Large Screen 3.5 inch GUI
- ◆ Dead Zone <1.6 m
- ◆ High Dynamic Range Up to 32dB
- ◆ Built-in VLS
- ◆ Dual Wavelengths 1310/1550nm



GX37 FTTH Fusion Splicer

- ◆ Splicing time 8s
- ◆ Heating time 20s
- ◆ Splicing Loss 0.01dB
- ◆ 3-in-1 Holder 0.25~3.0mm
- ◆ Water/Dust/Shock Resistant



FX37 High Precision Fusion Splicer

- ◆ Splicing time 7s
- ◆ Heating time 18s
- ◆ Splicing Loss 0.01dB
- ◆ 3-in-1 Holder 0.25~3.0mm
- ◆ Water/Dust/Shock Resistant



KPM/KLS-25m Optical power Meter & Optical Light Source

- ◆ Wavelengths 850~1625nm
- ◆ High Precision 0.2dB
- ◆ Anti-drop 2m
- ◆ Universal Adaptor FC/SC/ST
- ◆ Dynamic Range 80dB



KPM/KLS-35 Optical power Meter & Optical Light Source

- ◆ Wavelengths 850~1625nm
- ◆ High Precision 0.2dB
- ◆ Anti-drop 2m
- ◆ Universal Adaptor FC/SC/ST
- ◆ Dynamic Range 80dB



KF-52 Optical Fiber Cleaver

- ◆ Cleaved Angle <0.5 Degrees
- ◆ Blade Life 48,000
- ◆ 3-in-1 Holder 0.25~3.0mm
- ◆ Built-in Chip Collector
- ◆ Operation Step 2 Steps



KFI-40 Optical Fiber Identifier

- ◆ Applicable Fibers 0.25~3.0mm
- ◆ Detect Wavelength 800~1700nm
- ◆ Detected Tones CW/270/1K/2KHz
- ◆ Sensitivity +10~-50dBm

KFI-35 Optical Fiber Identifier

- ◆ Applicable Fibers 0.25~3.0mm
- ◆ Detect Wavelength 800~1700nm
- ◆ Detected Tones CW/270/1K/2KHz
- ◆ Sensitivity +10~-50dBm

KFL-11&11P Visual Fault Locator (Mini type & Pen type)

- ◆ Wavelength 650nm
- ◆ Output Power up to 30mW
- ◆ Universal Adaptor FC/SC/ST
- ◆ Battery Life 30 Hours
- ◆ Detecting Range 30 KM

KIP-600V Video Inspection Probe

- ◆ Magnification 400x
- ◆ Display Screen 3.5 inch
- ◆ Battery Life 4000mAH/20Hrs
- ◆ Compatible / FC/SC/ST/E2000/LC/MU/MPO
- ◆ Resolution Ratio <1um

KFM-200 Video Inspection Probe

- ◆ Magnification 200x
- ◆ Universal Adaptor FC/SC/ST/LU/MU
- ◆ Battery Life 40Hrs
- ◆ Mini size

KCC-550/600 Optical Connector Cleaner

- ◆ No. of Cleanings 600 times
- ◆ Cleans Ferrule 2.5mm & 1.25mm
- ◆ Connector Type/FC/SC/ST/LC/MU/D4/MPO
- ◆ Efficient Economy



KOC-125/250 One-Click Fiber Connector Cleaner

- ◆ No. of Cleanings >800 times
- ◆ Cleans Ferrule 2.5mm & 1.25mm
- ◆ Adapter Type Male & Female
- ◆ Connector Type FC/SC/ST & LC/MU
- ◆ Efficient Economy



FOCW & FOCF Fiber Optic Cleaning Wipes

- ◆ No. of Cleanings >600times
- ◆ Replaceable inner core
- ◆ Easy to carry
- ◆ Perforated Wipes 100pcs
- ◆ Efficient Economy




KPN-35 PON Optical Power Meter

- ◆ Wavelength 1310/1490/1550nm
- ◆ Accuracy ± 0.2 dB
- ◆ Anti-Drop 2m
- ◆ Measuring range $-50 \sim +10$ dBm



KPV-53 2-in-1 Optical Pwer Meter & Visual Light Source

- ◆ Wavelengths 850~1625nm
- ◆ Accuracy 0.2dB
- ◆ Anti-drop 2m
- ◆ Universal Adaptor FC/SC/ST
- ◆ built-in VFL 10mW



KFLC-2 OTDR Dead Zone Eliminator

- ◆ Custom Connectors FC/SC/ST/LC/E2000
- ◆ Custom Length 100~2000m
- ◆ Custom Fibers G652x~G657x
- ◆ Custom Type OS2/OM1/OM2/OM3
- ◆ Dust-Water-Drop Resistant



KFLC-1 OTDR Dead Zone Eliminator

- ◆ Custom Connectors FC/SC/ST/LC/E2000
- ◆ Custom Length 100~2000m
- ◆ Custom Fibers G652x~G657x
- ◆ Custom Type OS2/OM1/OM2/OM3
- ◆ Dust-Water-Drop Resistant



KLT-4E/7E Optical Fiber Test & Inspect Tool Kit

- ◆ Optical power meter
- ◆ Optical light source
- ◆ Fiber cleaning platform
- ◆ Visual fault locator
- ◆ Patch cords
- ◆ Adapter
- ◆ Fiber cleaner
- ◆ Fiber cleaning pen
- ◆ Waterproof carrying bag



KCI-6D Fiber Cleaning & Test Kit

- ◆ Easy to carry
- ◆ Drop Test 5m
- ◆ Complete tools
- ◆ Strong performance
- ◆ Large capacity
- ◆ Optical power meter
- ◆ Cylindrical fiber cleaning paper
- ◆ Visual fault locator
- ◆ Fiber end face detector
- ◆ Waterproof carrying bag



KFS-40 Fiber Construction Tool box

- ◆ Capacity 41 tools
- ◆ Drop Test 2m
- ◆ Break Test 5kg/70cm
- ◆ Press Test 18kg
- ◆ Layered Design 3 Layers



KFH Economic FTTH Tool Kit

- ◆ Optical power meter
- ◆ Fiber cleaver
- ◆ Visual fault locator
- ◆ Fiber cleaning platform
- ◆ Battery
- ◆ Alcohol for cleaning
- ◆ Fiber stripper
- ◆ FTTH cable stripper
- ◆ SC Quick coupler
- ◆ Waterproof carrying bag



KOR-45D OTDR Test Tool Kit

- ◆ Optical power meter
- ◆ Optical light source
- ◆ Adapter
- ◆ Patch cords
- ◆ OTDR
- ◆ Waterproof carrying bag



KOR-45E OTDR Test Tool Kit

- ◆ Easy to carry
- ◆ Drop Test 5m
- ◆ Complete tools
- ◆ Strong performance
- ◆ Large capacity
- ◆ OTDR Launch cable
- ◆ OTDR
- ◆ Waterproof carrying bag



KCI-8E/6E Economic Fiber Cleaning & Test Kit

- ◆ Optical power meter
- ◆ Visual fault locator
- ◆ Fiber cleaning platform
- ◆ Fiber cleaner
- ◆ Fiber cleaning pen
- ◆ Alcohol for cleaning
- ◆ Fiber optic connector microscope
- ◆ Waterproof carrying bag



KFH-11D/DSC High-grade FTTH Tool Kit

- ◆ Optical power meter
- ◆ Fiber cleaver
- ◆ Visual fault locator
- ◆ Alcohol for cleaning
- ◆ Fiber cleaning platform
- ◆ Battery
- ◆ Fiber stripper
- ◆ FTTH cable stripper
- ◆ SC Quick coupler
- ◆ Utility knife
- ◆ Oblique pliers
- ◆ Kevlar scissors
- ◆ Beam tube stripper
- ◆ Waterproof carrying bag